

befrena™

Where Lasting Itch Relief Begins



Befrena is an in-clinic injection that starts controlling allergic itch within 24 hours and provides lasting itch relief for at least 6 to 8 weeks. There is no age or weight restriction.

Dog Weight		Vials Needed				Total mL required for a single dose
LBS	KGS	0.5 mL	1.0 mL	1.5 mL	2.0 mL	
5-10	2.3-4.5	1				0.5 mL
10.1-20	4.6-9.1		1			1.0 mL
20.1-30	9.2-13.6			1		1.5 mL
30.1-40	13.7-18.1				1	2.0 mL
40.1-50	18.2-22.7	1			1	2.5 mL
50.1-60	22.8-27.2		1		1	3.0 mL
60.1-70	27.3-31.7			1	1	3.5 mL
70.1-80	31.8-36.3				2	4.0 mL
80.1-90	36.4-40.8	1			2	4.5 mL
90.1-100	40.9-45.4		1		2	5.0 mL
100.1-110	45.5-49.9			1	2	5.5 mL
110.1-120	50-54.4				3	6.0 mL

PRECAUTIONS

- Befrena contains no preservatives, and vials are single-use only.
- Discard vial after puncture –do not split vials between patients.
- Store vials upright, in original packaging, at 2-8 °C 35-46 °F. Do not freeze.

How to Use Dosing Chart:

Aseptically withdraw the full volume from the appropriate vial(s) according to the dosing chart (above) and administer subcutaneously. Repeat administration every 6 to 8 weeks or as needed in individual patients.

Additional Dosing Guidance:

If a dog is above or below a weight band, aseptically withdraw a minimum dose of 0.05 mL/lb (0.11 mL/kg) of body weight from the respective vials and administer subcutaneously. Discard remaining product.

INDICATIONS:

Befrena has been shown to be effective for the treatment of dogs against allergic dermatitis and canine atopic dermatitis (CAD).