

 **INTERCEPTOR<sup>®</sup>**  
**PLUS**  
(milbemycin oxime/praziquantel)

**If she's only covered  
from heartworm, there's  
a gap in her protection**



**CLOSE THE GAP WITH  
INTERCEPTOR PLUS**

## THE RISK OF WORMS IS CLOSER THAN YOU THINK



Dogs can easily get worms. Puppies can even be infected before they're born



Hookworms, roundworms, whipworms and tapeworms can cause diarrhea, weight loss, anemia and more



Heartworm disease is a serious health risk and can be fatal



Prior to administration of Interceptor Plus, dogs should be tested for existing heartworm infections

Did you know **50%** of dog parks have at least one dog infected with intestinal worms.<sup>1</sup>

**Ruh-Roh!**

<sup>1</sup>Stafford K, et al. Detection of gastrointestinal parasitism at recreational canine sites in the USA: the DOGPARCS study. DOI: <https://doi.org/10.21203/rs.3.rs-17486/v3>.



## CLOSE THE GAP WITH INTERCEPTOR PLUS

(milbemycin oxime/praziquantel)




When it comes to your pup, you'd never leave a gap in their worm protection.

**INTERCEPTOR PLUS COVERS ALL 5 MAJOR WORMS**



For brief safety summary, see Consumer Brief Summary on pages 6 and 7.

## THE COMPETITION LEAVES A GAP



*\*A. caninum \*A. caninum, U. stenocephala, A. braziliense \*\*A. caninum, U. stenocephala*

**Other treatments miss important worms like tapeworm and whipworm**

### UPGRADE THEIR WORM PROTECTION

- An easy-to-give, monthly chicken-flavored chew
- Covers all 5 major worms including tapeworms and whipworms
- For dogs and puppies 6 weeks or older and 2 pounds or greater

## PROTECTS AGAINST NOT ONLY HEARTWORM DISEASE, BUT ALL 5 MAJOR WORMS



Heartworm disease



Tapeworm



Whipworm



Hookworm



Roundworm

### Protecting your pup with Interceptor Plus means:

- Confidence in knowing that they're protected from all the major worms
- The ability to care for them without compromise
- The freedom to go anywhere and everywhere with your best buddy



For information on available rebates visit [ElancoRebates.com](http://ElancoRebates.com)

See Important Safety Information on back cover.



# **INTERCEPTOR<sup>®</sup>** **PLUS** (milbemycin oxime/praziquantel)

## CONSUMER BRIEF SUMMARY FOR INTERCEPTOR PLUS

**Information for Dog Owners** – You should read this information before starting your dog on INTERCEPTOR PLUS. The risk information provided here is not comprehensive. Talk with your veterinarian if there is something you do not understand or if you want to learn more about INTERCEPTOR PLUS. **Always follow your veterinarian's instructions for giving your dog INTERCEPTOR PLUS.** Ask your veterinarian, call 1-888-545-5973 or visit [www.interceptorplus.com](http://www.interceptorplus.com) to obtain the full FDA-approved drug labeling.

### What is INTERCEPTOR PLUS?

- INTERCEPTOR PLUS is a monthly chewable tablet, available by prescription only, used to:
  - Prevent heartworm disease caused by *Dirofilaria immitis*.
  - Treat and control adult roundworm (*Toxocara canis*, *Toxascaris leonina*), adult hookworm (*Ancylostoma caninum*), adult whipworm (*Trichuris vulpis*), and adult tapeworm (*Taenia pisiformis*, *Echinococcus multilocularis*, *Echinococcus granulosus* and *Dipylidium caninum*) infections in dogs and puppies two pounds of body weight or greater and six weeks of age and older.

### What dogs should not use INTERCEPTOR PLUS?

- Puppies less than 6 weeks of age or less than 2 pounds of body weight.

The safety of INTERCEPTOR PLUS has not been evaluated in female dogs used for breeding or in lactating females. Ask your veterinarian about the use of INTERCEPTOR PLUS prior to use in these female dogs.

### How should I give INTERCEPTOR PLUS?

- Prior to use, dogs should be tested for existing heartworm infections and treated at the discretion of the veterinarian.
- For heartworm prevention, administer at monthly intervals beginning within 1 month of the dog's first seasonal exposure to mosquitoes and continuing until at least 6 months after exposure to mosquitoes.
- INTERCEPTOR PLUS may be administered year-round without interruption.

**What is the most important information I should know about INTERCEPTOR PLUS?**

**Not for use in humans. Keep this and all medications out of reach of children.**

- Treatment with fewer than 6 monthly doses after the last exposure to mosquitoes may not provide complete heartworm prevention.

**What are the most common side effects that may occur while my dog is taking INTERCEPTOR PLUS?**

- Vomiting
- Diarrhea
- Depression/Tiredness

Other reported side effects include uncoordinated body movements, loss of appetite, convulsions, weakness and salivation.

**Tell your veterinarian if your dog experiences these or any other side effect.**

To report suspected adverse reactions, call 1-888-545-5973. **For additional information about adverse drug experience reporting for animal drugs, contact the Food and Drug Administration (FDA) at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.**

Interceptor, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2020 Elanco. PM-US-20-0823

**Elanco**



 **INTERCEPTOR**  
**PLUS**  
(milbemycin oxime/praziquantel)

**PROTECTION FROM ALL  
5 MAJOR WORMS**

**Talk to your veterinarian  
and upgrade today**

For more information on protection that never falls short, visit [InterceptorPlus.com](https://www.interceptorplus.com)

**INDICATIONS**

Interceptor Plus prevents heartworm disease and treats and controls adult roundworm, hookworm, whipworm, and tapeworm infections in dogs and puppies 6 weeks or older and 2 pounds or greater.

**IMPORTANT SAFETY INFORMATION**

Treatment with fewer than 6 monthly doses after the last exposure to mosquitoes may not provide complete heartworm prevention. Prior to administration of Interceptor Plus, dogs should be tested for existing heartworm infections. The safety of Interceptor Plus has not been evaluated in dogs used for breeding or in lactating females. The following adverse reactions have been reported in dogs after administration of milbemycin oxime or praziquantel: vomiting, diarrhea, decreased activity, incoordination, weight loss, convulsions, weakness, and salivation. For complete safety information, please see Interceptor Plus product label or ask your veterinarian.

Interceptor, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates. © 2021 Elanco or its affiliates.

Other company and product names are trademarks of their respective owners.

PM-US-21-0931

**Elanco**