



## Product Name:CYLENCE ULTRA INSECTICIDE CATTLE EAR TAGAPVMA Approval No:60621/130811

Label Name:	CYLENCE ULTRA INSECTICIDE CATTLE EAR TAG
Signal Headings:	CAUTION
	KEEP OUT OF REACH OF CHILDREN
	FOR ANIMAL TREATMENT ONLY
	READ SAFETY DIRECTIONS

Statements: 80 g/kg BETACYFLUTHRIN	Constituent Statements:	200 g/kg PIPERONYL BUTOXIDE 80 g/kg BETACYFLUTHRIN
------------------------------------	----------------------------	---

Claims:	For the control of synthetic pyrethroid susceptible strains of: Buffalo fly (Haematobia irritans exigua), including organophosphate resistant strains, on beef and dairy cattle for up to 4 months. Contains the pyrethroid insecticide betacyfluthrin
	plus the synergist piperonyl butoxide. Resistance may develop to any chemical.

Net Contents:	20 tags 100 tags 500 tags
	It is illegal to sell individual pouches or tags separately.

Directions for Use:	

Restraints:	

		Contraindications:	
--	--	--------------------	--

Precautions:	
--------------	--

Side Effects:	

Dosage and Administration:

Apply 2 tags to each animal – one tag in each ear. Apply as indicated in the diagrams.

Figure 1: Disinfect pliers prior to use. Place male button onto pin. Figure 2: Slide tag under the clip of the pliers by depressing the lever. Figure 3: Position tag in the centre portion of the back of the ear. Figure 4: Apply the tag between the second and third rib cartilage. Do not pen- cartilage rib or blood vessel.	etrate any
--	------------

General Directions:	All mature animals in the herd should be tagged. CYLENCE ULTRA will provide effective control of buffalo flies if used regularly on all animals in the group. The level and duration of control may be reduced under conditions of high fly pressure. Replace tags as necessary.
	Calves less than 3 months should not be tagged as ear damage may result. Remove tags at end of fly season or prior to slaughter.
	Continual exposure to a single class of insecticide (e.g pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of buffalo flies developing resistance it is important to rotate the class of insecticide used and/or the method of buffalo fly control on a seasonal basis. CYLENCE ULTRA may be seasonally rotated with ear tags from other insecticide groups.
	NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Withholding Periods:	MEAT: Zero (0) days MILK: Zero (0) days

Trade Advice: EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, control the current ESI from Elanco Australasia Pty Ltd on 1800 995 709 or the APVMA website (www.apvma.gov.au/residues).	
--	--

Safety Directions:	May irritate the eyes and skin. Avoid contact with eyes and skin. Do not open inner pouch until ready for use. When using the product wear rubber gloves. After each day's use wash
	gloves. Wash hands after use.

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia
	131126. Remove from contaminated area. Apply artificial respiration if not breathing.

First Aid Warnings:
---------------------

Additional User	Additional information is listed in the Safety Data Sheet
Safety:	

Environmental	ENVIRONMENTAL PROTECTION:
Statements:	Use tags only on cattle. DO NOT contaminate dams, streams or waterways with the tags or
	used containers.

Disposal:	Do not dispose of unused ear tags on-site. Break, crush, or puncture container and deliver containers and spent tags to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers and spent tags 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.
-----------	--

Storage:	Store below 30 °C (room temperature)
----------	--------------------------------------