# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

#### **Section 1: Identification**

#### 1.1 Product identifier

FACEGUARD BOLUS 90-250KG

HSNO Approval Number : HSR002454

ACVM number : A010198

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary medicine

stance/Mixture

## 1.3 Details of the supplier of the safety data sheet

#### Company

Elanco New Zealand 88 Shortland Street 1010 AUCKLAND NEW ZEALAND +64 0800 352 626 elanco\_sds@elanco.com

# 1.4 Emergency telephone number

In case of emergency: CHEMTREC International: +1 703-527-3887 (24 hours)

or +64-98010034 (local)

#### Section 2: Hazard identification

# **GHS Classification**

Aquatic toxicity (Acute or

Chronic)

: 9.1A

## **GHS** label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved incinera-

tion plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
zinc powder - zinc dust (stabilized)	7440-66-6	>= 70 -< 90
Paraffin waxes and Hydrocarbon waxes	8002-74-2	>= 10 -< 20

#### Section 4: First-aid measures

General advice : Take off all contaminated clothing immediately.

You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24hr emergency

service).

If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : After contact with skin, wash immediately with plenty of soap

and water.

If skin reactions occur, contact a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Most important symptoms and effects, both acute and

delayed

No information available.

Notes to physician : No information available.

Section 5: Fire-fighting measures

Suitable extinguishing media : Any

Unsuitable extinguishing

media

none

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

Specific hazards during fire-

fighting

: Fire may cause evolution of:

Carbon monoxide (CO) Carbon dioxide (CO2)

Specific extinguishing meth-

ods

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disparal according to lead regulations (see section 12)

disposal according to local regulations (see section 13).

#### Section 7: Handling and storage

Advice on protection against

fire and explosion

Take measures to prevent the build up of electrostatic charge.

Keep away from open flames, hot surfaces and sources of

ignition.

Will ignite if exposed to intensive heat or open air.

Contact with water liberates extremely flammable gases.

Advice on safe handling : Avoid dust formation.

Use with local exhaust ventilation.

Avoid contact with skin, eyes and clothing.

Conditions for safe storage : For storage suitable stores with adequate product-reception

volume must be used.

During handling local official regulations must be observed in

order to avert impairment of water by the product.

# Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Paraffin waxes and Hydrocar-	8002-74-2	WES-TWA	2 mg/m³	NZ OEL
bon waxes		(Fumes)		
		WES-TWA	2 mg/m³	NZ OEL
		(Fumes)		
		TWA	2 mg/m³	ACGIH

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

(Fumes)		
TWA	2 mg/m³	ACGIH
(Fumes)		

Personal protective equipment

Respiratory protection : Recommended respiratory protection: full mask with filter

ABEK-ST (ABEK-P3)

Hand protection

Material : Hand protection: protective gloves for chemicals made of

Baypren, nitrile rubber or PVC wear

Remarks : Breakthrough time not tested; dispose of immediately after

contamination. Advice: The gloves should not be reused.

Eye protection : Safety glasses

Protective measures : Wear suitable protective equipment.

# Section 9: Physical and chemical properties

Appearance : solid

Melting point / range : No data available

Boiling point/boiling range : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Explosive properties : No statements available.

Oxidizing properties : No data available

Impact sensitivity : No data available

Minimum ignition energy : No data available

## Section 10: Stability and reactivity

Reactivity : No data available

Chemical stability : No data available

Possibility of hazardous reac-

tions

No data available

Conditions to avoid : No data available

Incompatible materials : Oxidizing agents

Hazardous decomposition : Carbon monoxide (CO)

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

products Carbon dioxide (CO2)

# **Section 11: Toxicological information**

# **Acute toxicity**

#### **Product:**

Acute dermal toxicity : Acute toxicity estimate (ATE): 2.513 mg/kg

Method: Calculation method

#### **Components:**

## Paraffin waxes and Hydrocarbon waxes:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC0 (Rat): 0,210 mg/l

Acute dermal toxicity : LD50 (Rabbit): > 4.000 mg/kg

## Skin corrosion/irritation

# **Components:**

# Paraffin waxes and Hydrocarbon waxes:

Species : Rabbit
Method : OECD 404
Result : No skin irritation

# Serious eye damage/eye irritation

## **Components:**

#### zinc powder - zinc dust (stabilized):

Species : Rabbit
Method : OECD 405
Remarks : slight irritation

# Paraffin waxes and Hydrocarbon waxes:

Species : Rabbit

Result : No eye irritation Method : OECD 405

# Respiratory or skin sensitisation

## **Components:**

#### Paraffin waxes and Hydrocarbon waxes:

Species : Guinea pig Method : OECD 406

Result : Does not cause skin sensitisation.

# **FACEGUARD BOLUS 90-250KG**



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

#### **Chronic toxicity**

# Germ cell mutagenicity

#### **Components:**

# zinc powder - zinc dust (stabilized):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Method: OECD 476 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral Method: OECD 474

Result: No evidence of a genotoxic effect.

# Section 12: Ecological information

## **Ecotoxicity**

# **Components:**

# zinc powder - zinc dust (stabilized):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,833 mg/l

Exposure time: 48 h Test Type: Immobilization Method: OECD 202

Toxicity to algae/aquatic

plants

IC50 (Selenastrum Capricornutum (Green algae)): 0,15 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: OECD 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 d Test Type: Immobilization Method: OECD 202

Toxicity to microorganisms : EC50 (Activated sludge micro-organism): 5,2 mg/l

Exposure time: 3 h Method: OECD 209

#### Paraffin waxes and Hydrocarbon waxes:

Toxicity to fish : Method: DIN 38412

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

Remarks: No toxic effects.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

LC50 (Selenastrum capricornutum (green algae)): > 1.000

mg/l

Exposure time: 3 d

Toxicity to fish (Chronic tox-

icity)

LC50 (Oncorhynchus mykiss (rainbow trout)): >= 1.000 mg/l

Exposure time: 28 d

#### Persistence and degradability

# **Components:**

# Paraffin waxes and Hydrocarbon waxes:

Biodegradability : Result: rapidly biodegradable

Method: OECD 301 B

## Bioaccumulative potential

## **Components:**

## Paraffin waxes and Hydrocarbon waxes:

Partition coefficient: n-

octanol/water

log Pow: 2 - 6

# Mobility in soil

No data available

# Other adverse effects

#### **Product:**

Additional ecological infor-

mation

: Do not allow to enter surface waters or groundwater.

# **Section 13: Disposal considerations**

# **Disposal methods**

Waste from residues : Dispose of as hazardous waste in compliance with local and

national regulations.

# **Section 14: Transport information**

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC)

Class : 9

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

Packing group : III Labels : 9 Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **Section 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# **HSNO Approval Number**

HSR002454

#### **HSW Controls**

Approved handler certificate not required.

HSNO tracking not required.

Refer to EPA user guide to the HSNO control regulations for further information.

Montreal Protocol (Ozone Depleting Substances) : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

# The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

#### **Section 16: Other information**

Date format : dd.mm.yyyy

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

# FACEGUARD BOLUS 90-250KG



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.06.2020 122000008329 Date of first issue: 23.06.2020

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN