

INSECTICIDEControl of darkling beetles in poultry houses.

Active Ingredient:

Contains 0.022 lbs spinosad per 4.4 lbs (2 kg) bag

Spinosyn A CAS# 131929-60-7 Spinosyn D CAS# 131929-63-0

EPA Reg. No. 11556-188 EPA Est. No. 1471-IN-6

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with warm water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Harmful if swallowed. Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid contact with eyes or clothing. Wear protective eyewear (such as goggles, face shield, or safety glasses). Wear long sleeved shirt and long pants, socks and shoes.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not contaminate water when cleaning or disposing of equipment washwaters. Apply this product only as specified on this label.

Physical Chemical Hazards

Do not mix or allow to come in contact with an oxidizing agent. A hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Insecticide Resistance Management

For resistance management, Conquest Insecticide contains a Group 5 insecticide. Any insect population may contain individuals naturally resistant to Conquest Insecticide and other Group 5 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of Conquest Insecticide or other Group 5 insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact an Elanco company representative at 1-800-428-4441.

Poultry Houses: Darkling Beetles (Alphitobius diaperinus)

Conquest Insecticide application is not a whole-house treatment. Apply only under the feedlines (where application will be inaccessible to birds) prior to bird placement. Do not exceed an application rate of 4.4 lbs (2 kg) (0.022 lbs active ingredient) per 20,000 square foot poultry house. Apply once per flock.

RESTRICTION: Do not use for more than 3 consecutive flocks.

HOW TO APPLY: Apply by hand or by trailer mounted seeder.

Conquest Insecticide Darkling Beetle Application Rates

Quantity of Conquest Insecticide:	2.2 lbs (1 kg)	4.4 lbs (2 kg)
Approximate Building Size:	10,000 sq. ft.	20,000 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only, tightly closed in a secure place.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

WARRANTY: To the extent consistent with applicable law, Elanco US Inc., makes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use/handling of this material when use and/or handling is contrary to label instructions.

To report adverse events or obtain additional product information, call 1-800-428-4441.

- · Ready for use product that does not require mixing for application
- Fast knockdown and kill of darkling beetles
- Works on adults and immatures

Elanco US Inc. 2500 Innovation Way Greenfield, IN 46140

Product of USA

Conquest, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2022 Elanco or its affiliates

Net Weight: 4.4 lbs (2 kg)



BG103763X W