

MYCOPLASMA GALLISEPTICUM BACTERIN

AviPro™ 104 MG BACTERIN

1000 doses - 500 mL

For use in animals only

This product has been shown to be effective for the vaccination of healthy chickens 5 weeks of age or older against air sacculitis due to *Mycoplasma gallisepticum*. Duration of immunity has not been established for this product. For more information regarding efficacy and safety data, see productdata.aphis.usda.gov.

Directions for use: Vaccine should be warmed to room temperature before use. Shake well before and during use. Inject subcutaneously. Vaccinate chickens at 5 weeks of age or older. Revaccinate 4 weeks later.

Dose: 1/2 mL (0.5 mL) per bird. Inject all birds in flock.

Contains penicillin as a preservative.

Storage temperature: Store at 2° to 8°C (35° to 46°F). Do not freeze.

Warnings: In case of human exposure, contact a physician. Do not vaccinate within 42 days before slaughter. Use entire contents when first opened. Do not mix with other products, except as specified on the labeling.

Manufactured in the USA by/Fabricado en los EE.UU. por:
Elanco US Inc.
Winslow, Maine 04901 USA
Phone 1-800-428-4441
VLN/PCN 196/2774.00

AviPro, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

BACTERINA MYCOPLASMA GALLISEPTICUM

AviPro™ 104 MG BACTERIN

1000 dosis - 500 mL

Solo para uso en animales

Este producto ha demostrado ser efectivo para la vacunación de pollos sanos de 5 semanas de edad o mayores contra la saculitis por aire debido a *Mycoplasma gallisepticum*. La duración de la inmunidad para este producto no ha sido establecido. Para obtener más información sobre la eficacia y seguridad, diríjase a productdata.aphis.usda.gov.

Instrucciones de uso: La vacuna debe calentarse a temperatura ambiente antes de su uso. Agitar bien antes y durante el uso. Inyectar subcutáneamente. Vacunar pollos a las 5 semanas de edad o mayores. Revacunar 4 semanas después.

Dosis: 1/2 mL (0.5 mL) por ave. Inyectar todas las aves de la parvada.

Contiene penicilina como preservativo.

Temperatura de almacenamiento: Almacenar entre 2° y 8°C (35° y 46°F). No congelar.

Advertencias: En caso de exposición a humanos, contacte a un médico. No vacune dentro de los 42 días previos al sacrificio. Utilizar todo los contenidos una vez abierto. No mezclar con otros productos a excepción que sea indicado en el rotulado del producto.

AviPro, Elanco y el logo de la barra diagonal son marcas de Elanco o sus afiliadas.