Product Name: APVMA Approval No:

ELANCO AF1375 MAXIBAN NARASIN/NICARBAZIN ANTICOCCIDIAL PREMIX 36802/123630



Label Name:	ELANCO AF1375 MAXIBAN NARASIN/NICARBAZIN ANTICOCCIDIAL PREMIX
Signal Headings:	POISON
	KEEP OUT OF REACH OF CHILDREN
	FOR ANIMAL TREATMENT ONLY
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Constituent Statements:	80 g/kg NARASIN 80 g/kg NICARBAZIN	
----------------------------	---------------------------------------	--

Claims:	For the prevention of coccidiosis caused by Eimeria acervulina, E. brunetti, E. maxima, E. mivati, E. necatrix, and E. tenella.
	FOR USE IN BROILER CHICKEN FEEDS ONLY.

Net Contents:	25 kg

Directions for Use:	

Restraints:	EGGS: DO NOT USE in birds which are producing or may in the future produce eggs or egg products which may be used or processed for human consumption.
-------------	---

Contraindications:	 DO NOT USE in turkeys or game birds – may be fatal. DO NOT USE in horses or other equines - may be fatal. This product should not be used in broiler breeder or layer birds during rear or in production. Poultry consuming narasin should not be treated with tiamulin. Severe growth depression or death may occur. DO NOT USE concurrently with another ionophore, as severe growth depression or death may occur.
--------------------	---

Precautions:	Nicarbazin medicated broilers may show reduced heat tolerance if exposed to high temperature and high humidity. Provide adequate drinking water and ventilation during these periods.

Side Effects:	

Dosage and Administration:	MIXING DIRECTIONS: IMPORTANT - THIS PREMIX MUST BE THOROUGHLY MIXED IN FEED BEFORE USE.
	Thoroughly mix 0.5 to 0.625 kg MAXIBAN Premix in one tonne of feed to provide 40 to 50 ppm of each active ingredient per tonne of complete feed.
	FEEDING DIRECTIONS: Feed continuously as the only ration for at least 14 days.

General Directions:

Withholding Periods:	MEAT: Zero (0) days
	EGGS: DO NOT USE in birds which are producing or may in the future produce eggs or egg products which may be used or processed for human consumption.

Trade Advice:	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Elanco Australasia Pty Ltd on 1800 226 324 before using this product.

Safety Directions:	Poisonous if swallowed. Will damage eyes and will irritate the nose, throat and skin. Avoid contact with eyes and skin. Do not inhale dust when opening the container and mixing into feed. Repeated exposure may cause allergic disorders. Wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves, goggles and disposable dust mask covering mouth and nose. After each day's use, wash gloves, goggles and contaminated clothing. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
--------------------	--

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13
	1126. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

First Aid Warnings:					
---------------------	--	--	--	--	--

Additional User Safety:	
----------------------------	--

Environmental	
Statements:	

Disposal:	Shake and empty contents into medicated feed. Do not dispose of undiluted chemicals on-site. Puncture or shred and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the punctured or shredded bag 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots, in compliance with relevant local, state or territory government regulations. Do not burn empty bags or product.
-----------	--

Storage:	Store below 30 °C (Room Temperature) in a dry place.