

**DIRECTIONS FOR USE**  
 The product is NOT TO BE USED in sheep less than 15 kg of bodyweight or 3 months of age. The product is NOT TO BE USED in cattle less than 100 kg of bodyweight or 16 weeks of age.

**SAFETY TO SHEEP AND CATTLE**  
 ZOLVIX PLUS has a wide margin of safety when used as recommended and is readily accepted by sheep and cattle.

**DOSAGE AND ADMINISTRATION**  
 ZOLVIX PLUS is a ready-to-use oral solution. A representative sample of animals should be weighed before treatment. Dose the animals to the heaviest liveweight in each group. DO NOT under dose. Where there is a large variation in weight within the group, dose should be based on the label directions for each weight range. Drafting into two or more pens may be appropriate, to avoid excessive overdosing.


A correct drenching technique is recommended; carefully place the drench gun nozzle in the side of the mouth and over the back of the tongue before delivering the dose. Check dose and drench gun before treatment commences. Drench animals orally using an Elanco recommended drench gun. Maintain applicator gun carefully to ensure accurate dosage. After use, clean gun by flushing with warm, soapy water. Rinse with cold water.

**SHEEP**  
 The dose for sheep and lambs is 0.5 mL/5 kg (1 mL/10 kg), equivalent to 2.5 mg monepantel/kg and 0.2 mg abamectin/kg bodyweight.

Body Weight (kg)	Dose (mL)	No. Treated/5 L
15-20	2.0	2500
21-25	2.5	2000
26-30	3.0	1666
31-35	3.5	1428
36-40	4.0	1250
41-50	5.0	1000
51-60	6.0	833
61-70	7.0	714
71-80	8.0	625

**CATTLE**  
 The dose for cattle is 5 mL/50 kg (1 mL/10 kg) equivalent to 2.5 mg monepantel/kg and 0.2 mg abamectin/kg bodyweight.

Body Weight (kg)	Dose (mL)	Number of Animals treated per 5 L
100	10	500
101-120	12	416
121-150	15	333
151-200	20	250
201-250	25	200
251-300	30	166
301-350	35	142
351-400	40	125
401-450	45	111
451-500	50	100
501-550	55	90
551-600	60	83
601-650	65	76



Resistance may develop to any chemical. Ask your local veterinary practitioner or animal health adviser for recommended parasite management practices for your area to reduce development of resistance. It is advisable that a resistance test be conducted before any parasite treatment is used. A correct drenching technique should be used to assist in anthelmintic resistance prevention.

**Drench Gun Directions**  
 1. Maintain applicator gun carefully to ensure accurate dosage.  
 2. Give full dose orally according to dosing schedule.  
 3. A representative sample of animals should be weighed before treatment.  
 4. Dose the mob or herd to the heaviest animal by live weight in each group. Do not under dose.  
 5. Where there is a large variation in size within the group, dose rates should be based on the label directions for each weight range. Drafting into two or more pens may be appropriate, to avoid excessive overdosing.

**WITHHOLDING PERIODS**  
**MEAT (SHEEP):** Sheep producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 14 days of the last treatment.  
**MEAT (CATTLE):** Cattle producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 15 days of the last treatment.  
**MILK (SHEEP):** Milk intended for sale for human consumption must be discarded during treatment and for not less than 35 days following the last treatment.  
**MILK (CATTLE):** Milk intended for sale for human consumption must be discarded during treatment and for not less than 49 days following the last treatment. It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Commodities.


**Read label and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.**  
**Handling Precautions:** May be harmful if swallowed and avoid breathing vapours. May cause harm to breast-fed children. Avoid contact during pregnancy/while nursing. May cause damage to organs. Use personal protective equipment as required. Do not eat, drink or smoke when using this product and wash hands thoroughly after handling.  
**First Aid:** If exposed or you feel unwell contact the Poisons Centre 0800 POISON (0800 764766) or a doctor immediately.  
**Environmental Protection:** Very toxic to aquatic life with lasting effects and very toxic to the soil environment. Avoid release to the environment. Collect spillage.  
**Disposal:** Preferably dispose of product by usage. Otherwise treat the product so that it is no longer toxic and dispose of product and packaging at an approved landfill or other approved facility. Triple rinse empty container, crush or puncture and bury in a suitable landfill.  
**Do NOT reuse container for any other purpose.**

**Emergency Response:** In case of spillage wear appropriate protective clothing and prevent material from entering water ways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely. If additional hazard information is required, refer to the Safety Data Sheet. For a copy please go to [www.elanco.co.nz](http://www.elanco.co.nz).

**STORAGE**  
 Store below 25°C (Room Temperature). Store in the original container tightly closed. Store locked up. Once opened use product within 12 months.

**CONDITIONS OF SALE**  
 The manufacturer of this animal remedy extends/grants to the purchaser a warranty that this animal remedy is reasonably fit for the purposes for which its use is recommended, provided that the purchaser uses the remedy only for the purpose for which it is recommended to them, and strictly in accordance with the directions on this container.

Registered to Elanco Australasia Pty Ltd  
 27/88 Shortland Street, Auckland, 1010, New Zealand  
[www.elanco.co.nz](http://www.elanco.co.nz)  
 \* HELPLINE: Phone 0800 426 633  
 Registered pursuant to the ACVM Act 1997, A011107  
 See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.  
 Approved pursuant to the HSN0 Act 1996.  
 EPA New Zealand Approval Code: HSR100758  
 See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions.  
 Zolvix, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.  
 © 2021 Elanco



**PRODUCT INFO**

BLIE #:	403157AP	Product Name:	Zolvix Plus
Item Code:	YL403157A	Component:	Back Label/Booklet Top Label/Booklet Label
Product Code:	AH2105	Pack Size:	5L
Previous Item Code:	YL402498B		

**ARTWORK INFO**

Template:	YL_101x60mm_v1	Packaging Specs:	SINR, Back Label - 918801
Barcodes/Type:	EAN 13: 5420036939467	Add. Info:	NA
GTIN:		Minimum Core Data Point Size:	7 pt
GTIN Not Required:		Proof #	P2a By/Date TCK 24-NOV-2021

NON PRINTING YELLOW BLACK PMS 691 C PMS 341 C

ELANCO ARTWORK LEGEND v16

248 mm



**WARNING**  
KEEP OUT OF REACH OF CHILDREN  
FOR ANIMAL TREATMENT ONLY

**ZOLVIX™ PLUS**

**Broad Spectrum Oral Anthelmintic for Sheep and Cattle**

**ACTIVE CONSTITUENTS: 25 mg/mL Monepantel and 2 mg/mL Abamectin**

Monepantel is a member of the class of anthelmintics called the Amino-Acetonitrile Derivatives (AADs) while Abamectin is a member of the Macrocytic Lactone (ML) class of anthelmintics. ZOLVIX PLUS is effective for the treatment and control of sensitive strains of nematodes (roundworms), including nematodes that have single, dual or triple resistance to macrocyclic lactones (including moxidectin resistant strains), benzimidazoles (white drenches), imidazothiazoles (levamisole, clear drench) in sheep, beef cattle and non-lactating dairy cattle and morantel (clear drench) and salicylanilide (e.g. closantel)-resistant strains, in sheep. ZOLVIX PLUS is also effective against AAD-sensitive immature (L4) stages of *Haemonchus contortus* and *Teladorsagia circumcincta* in sheep where a combination of a macrocyclic lactone and derquantel is less effective.

Registered to  
Elanco Australasia Pty Ltd  
27/88 Shortland Street,  
Auckland, 1010, New Zealand  
[www.elanco.co.nz](http://www.elanco.co.nz)  
[www.zolvix.com](http://www.zolvix.com)

**Elanco**

YL402436A 918800

5 L 25 kg x 2000 | 250 kg x 200

182 mm

**PRODUCT INFO**

BLUE #:	402436AP	Product Name:	Zolvix Plus
Item Code:	YL402436A	Component:	Front Label
Product Code:	AH2105	Pack Size:	5L
Previous Item Code	YL090702A		

**ARTWORK INFO**

Template:	LA_182x248mm_Front_Argenta_v2	Packaging Spec(s):	918800
Barcodes/Type:	N/A	Add. Info:	N/A
		Minimum Core Data Point Size:	8.45pt
GTIN:	GTIN Not Required	Proof #	P1a   By/Date
			DM 13-Dec-2019

NON PRINTING	CYAN	BLACK	PMS 021 C	PMS 343 C

ELANCO ARTWORK LEGEND v13

**LEGEND KEY** Template: LA\_182x248mm\_Front\_Argenta\_v2

	Text Free Area
	50 mm Rule Bar

Elanco Template Key v2