

## SAFETY DATA SHEET

### SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP

### **Section 1. Identification**

Product identifier : SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP

**Product code** : 12400000558

Other means of : 84250104; Barium selenate; Selovin LA identification

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Selenium supplementation for cattle and sheep

**Uses advised against**: None known.

Company Name : Elanco Australasia Pty Ltd

Level 3, 7 Eden Park Drive Macquarie Park NSW 2113

Australia

Telephone number : 1800 995 709

Emergency telephone . CUEM

**Emergency telephone** number

: CHEMTREC 0800 293 702 (Freephone) CHEMTREC +61 2 9037 2994 (Local)

Email : elanco\_sds@elancoah.com

**Transportation Emergency** 

telephone number

: CHEMTREC 0800 293 702 (Freephone) CHEMTREC +61 2 9037 2994 (Local)

## Section 2. Hazard(s) identification

Classification of the substance or mixture

: ACUTE TOXICITY (oral) - Category 4

ACUTE TOXICITY (inhalation) - Category 4

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity:

7.8%

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation

toxicity: 41.1%

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the

aquatic environment: 7.8%

**GHS label elements** 

Hazard pictograms







Signal word : WARNING

Hazard statements : H302 + H332 - Harmful if swallowed or if inhaled.

H373 - May cause damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention**: P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P260 - Do not breathe vapour.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash thoroughly after handling.

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 20221/10

## Section 2. Hazard(s) identification

Response P391 - Collect spillage.

P314 - Get medical advice/attention if you feel unwell.

P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

**Storage** : Not applicable.

**Disposal** P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Supplemental label

elements

: Not applicable.

Other hazards which do not : None known.

result in classification

## Section 3. Composition and ingredient information

Substance/mixture

Ingredient name	% (w/w)	CAS number
White mineral oil (petroleum)	≥30 - ≤60	8042-47-5
selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this database	≥10 - ≤17	7787-41-9
Poly(oxy-1,2-ethanediyl), $\alpha$ -(1-oxooctadecyl)- $\omega$ -[(1-oxooctadecyl)oxy]-	≤5	9005-08-7
chlorocresol	≤0.3	59-50-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact No known significant effects or critical hazards.

Product name: SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP AU: ENGLISH Version :0.04 Date of revision: 6 August 2022 Date of previous issue :2 August 2022 2/10

### Section 4. First aid measures

Inhalation : Harmful if inhaled.

**Skin contact**: No known significant effects or critical hazards.

Ingestion : Harmful if swallowed.

### Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

## Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide metal oxide/oxides

# Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 20223/10

### Section 6. Accidental release measures

### **Environmental precautions**

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

### Methods and material for containment and cleaning up

### **Small spill**

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### **Precautions for safe handling**

### **Protective measures**

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapour or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 25°C (77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
White mineral oil (petroleum)	Safe Work Australia (Australia, 12/2019). TWA: 5 mg/m³ 8 hours. Form: Mist
selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this database	Safe Work Australia (Australia, 12/2019). TWA: 0.1 mg/m³, (as Se) 8 hours.
Poly(oxy-1,2-ethanediyl), α- (1-oxooctadecyl)-ω-[(1-oxooctadecyl)oxy]-	Safe Work Australia (Australia, 12/2019). TWA: 10 mg/m <sup>3</sup> 8 hours.
chlorocresol	DFG MAC-values list (Germany, 7/2019). Skin sensitiser.

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 20224/10

## Section 8. Exposure controls and personal protection

## Appropriate engineering controls

# : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

## **Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Eye/face protection**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Body protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### **Respiratory protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### **Appearance**

Physical state : Liquid. [Suspension]

Colour: Opaque.Odour: Not available.Odour threshold: Not available.

**pH** : 6 to 8

Melting point/freezing point : Not available.

Boiling point, initial boiling : 100°C (212°F)

point, and boiling range

Flash point :

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 20225/10

## Section 9. Physical and chemical properties and safety characteristics

		Closed cup			Ope	n cup
Ingredient name	°C	°F	Method	°C	°F	Method
chlorocresol	118	244.4				
White mineral oil (petroleum)	>112	>233.6	ISO 2719			

: Not available. **Evaporation rate** : Not available. **Flammability** Lower and upper explosion : Not available.

limit/flammability limit

Vapour pressure

	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
White mineral oil (petroleum)	0.08	0.011	OECD 104			

Relative vapour density

Not available. Relative density **Solubility** Not available. Solubility in water : Not available. Partition coefficient: n-Not applicable.

octanol/water

Not available.

: Not available.

**Auto-ignition temperature** 

Ingredient name	°C	۴	Method
White mineral oil (petroleum)	325 to 355	617 to 671	ASTM E 659
chlorocresol	590	1094	

**Decomposition temperature** 

**Viscosity** : Not available. Flow time (ISO 2431) : Not available.

**Particle characteristics** 

Median particle size : Not applicable.

## Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

: The product is stable. **Chemical stability** 

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : No specific data.

**Incompatible materials** : No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Product name: SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP AU: ENGLISH Version: 0.04 Date of revision: 6 August 2022 Date of previous issue :2 August 2022 6/10

## **Section 11. Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-
chlorocresol	LD50 Oral	Rat	1830 mg/kg	-

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
chlorocresol	Skin - Severe irritant	Mouse	-	50 %	-

### **Sensitisation**

Not available.

### **Mutagenicity**

Not available.

### Carcinogenicity

Not available.

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
chlorocresol	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	3.5	Route of exposure	Target organs
selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this database	Category 2	-	-

### **Aspiration hazard**

Name	Result
White mineral oil (petroleum)	ASPIRATION HAZARD - Category 1

**Information on likely routes**: Not available.

of exposure

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

Inhalation : Harmful if inhaled.

**Skin contact** : No known significant effects or critical hazards.

: Harmful if swallowed. Ingestion

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data. Inhalation : No specific data. Skin contact : No specific data.

Product name: SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP AU: ENGLISH Version: 0.04 Date of revision: 6 August 2022 Date of previous issue: 2 August 2022 7/10

## **Section 11. Toxicological information**

**Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

### Potential chronic health effects

Not available.

**General**: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP	666.7	N/A	N/A	11.8	N/A
selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this database	100	N/A	N/A	3	N/A
chlorocresol	1830	1100	N/A	N/A	N/A

## **Section 12. Ecological information**

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
White mineral oil (petroleum)	Acute LC50 >100 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 >100 mg/l	Fish - Oncorhynchus mykiss	96 hours
chlorocresol	Acute EC50 15000 µg/l Fresh water	Algae - Chlorella pyrenoidosa	72 hours
	Acute EC50 1500 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 917 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 1900 µg/l Fresh water	Algae - Chlorella pyrenoidosa	72 hours
	Chronic NOEC 1300 µg/l Fresh water	Daphnia - Daphnia magna	21 days

### Persistence and degradability

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
White mineral oil (petroleum) chlorocresol		- 6.7 to 13	high low

### **Mobility in soil**

Soil/water partition : Not available coefficient (Koc)

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 20228/10

## Section 12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **Section 14. Transport information**

	ADG	ADR/RID	IMDG	IATA
UN number	UN3082	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (barium selenate)			
Transport hazard class(es)	9	9	9	9
Packing group	III	III	III	III
Environmental hazards	Yes.	Yes.	Yes.	Yes.

### **Additional information**

**ADG** 

The product is not regulated as a dangerous good when transported by road or rail in either an IBC, or in other container types if ≤500 kg. This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

ADR/RID

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

**IMDG** 

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

**IATA** 

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments

: Not available.

Product name: SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEP AU: ENGLISH Version: 0.04 Date of revision: 6 August 2022 Date of previous issue: 2 August 2022 9/10

## Section 15. Regulatory information

### **National regulations**

Standard for the Uniform Scheduling of Medicines and Poisons

6

**Model Work Health and Safety Regulations - Scheduled Substances** 

No listed substance

**APVMA Approval Number** : 59680

**Inventory list** 

Australia : All components are listed or exempted.

## Section 16. Any other relevant information

**History** 

Date of issue/Date of

revision

: 8/6/2022

Date of previous issue : 8/2/2022 Version : 0.04

**Key to abbreviations** : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

### Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (inhalation) - Category 4	Calculation method
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2	Calculation method
SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2	Calculation method
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2	Calculation method

**References** : Not available.

Indicates information that has changed from previously issued version.

### **Notice to reader**

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact:

Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441

Product name :SELOVIN LA LONG-ACTING SELENIUM INJECTION FOR CATTLE AND SHEEPAU : ENGLISHVersion : 0.04Date of revision : 6 August 2022Date of previous issue : 2 August 202210/10