

100mm

58mm

500mL



For the treatment and control of Selenium deficiency, illthrift, white muscle disease and Selenium responsive diseases in horses, cattle and sheep

INJECTABLE SELENIUM

Selovin-5™

Elanco

WARNING
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY



Selovin-5™
INJECTABLE SELENIUM



Selovin-5™
INJECTABLE SELENIUM

WARNING
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

For the treatment and control of Selenium deficiency, illthrift, white muscle disease and Selenium responsive diseases in horses, cattle and sheep



Elanco

500mL

Selovin-5™
INJECTABLE SELENIUM

READ ENTIRE LEAFLET BEFORE USE
May be harmful if swallowed or inhaled. Sodium Selenate possibly may cause hepatotoxicity and damage to genetic material from repeated oral exposure at high doses.
HANDLING PRECAUTIONS Avoid contact with skin or eyes and inhalation. Wear protective clothing such as impervious gloves, when using. Remove protective clothing and wash hands and exposed skin thoroughly before meals and after work. Do not eat, drink or smoke while using this product.
FIRST AID If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.
ENVIRONMENTAL PROTECTION Harmful to aquatic organisms with long-lasting effects. Avoid contamination of any water supply with product or empty container. Harmful to the soil environment. Avoid release to the environment.

ACTIVE CONSTITUENT
Each mL contains Elemental Selenium 5mg (as sodium selenate)
DIRECTIONS FOR USE By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.
Read Package insert prior to use. By subcutaneous (under the skin) injection into the anterior half of the neck.
Lambs (over 15kg) 0.5mL
Sheep (over 40kg) 1mL
Calves (over 150kg) 2mL
Cattle (over 400kg) 4 – 5mL
Foals (over 50kg) 1mL
Horses (over 400kg) 4 – 5mL
WARNING Age for the first injection and need for repeat doses as directed by your Veterinary surgeon. Do not exceed stated dose or dose more frequently than 3 weekly.

Do not use at the same time as any other Selenised fertiliser, prill or product without consulting a Veterinarian.
WITHOLDING PERIODS Milk and Meat: Nil
STORAGE Store below 25°C. Protect from light.
DISPOSAL Preferably dispose of the product by use. Otherwise dispose of product and packaging in an appropriate landfill, or an approved facility.
Registered pursuant to the ACVM Act 1997. No. A6139.
See www.foodsafety.govt.nz for registration conditions.
Elanco New Zealand,
106 Wiri Station Road, Manukau, Auckland 2104
Customer Info Line: 0800 446 121

Batch:
Expiry:

90196638

Manufacture information
65mm(w) x 20mm(h)

PRODUCT INFO		
BLUE #:	700404PB	Product Name: SELOVIN-5
Item Code:	90196638	Component: Carton
Product Code:	N/A	Pack Size: 500ml
Previous Item Code	85721380	
ARTWORK INFO		
Template:	100 x 58 x 285 mm	Packaging Spec(s): N/A
Barcodes/Type:	N/A	Add. Info: N/A
		Minimum Core Data Point Size: 6 pt
GTIN:	GTIN Not Required	Proof # P2a By/Date PJ 22-JUN-2021
ELANCO ARTWORK LEGEND v13		

285mm

NO VARNISH ON WHITE PANEL

PRODUCT INFO

BLUE #:	700404APB	Product Name:	SELOVIN-5
Item Code:	90196732	Component:	Label
Product Code:	N/A	Pack Size:	500ml
Previous Item Code	85721402		

ARTWORK INFO

Template:	70 x 100 mm	Packaging Spec(s):	N/A
Barcodes/Type:	N/A	Add. Info:	N/A
		Minimum Core Data Point Size:	5 pt
GTIN:	GTIN Not Required	Proof #	P1b
		By/Date	CC 21-JUNE-2021
NON PRINTING	PANTONE 369 C	PANTONE 116 C	PANTONE 285 C
			BLACK

ELANCO ARTWORK LEGEND v13

100mm

WARNING

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

Elanco

Selovin-5™

INJECTABLE SELENIUM

ACTIVE CONSTITUENT

Each mL contains: Elemental Selenium 5mg (as sodium selenate)

INDICATIONS For the treatment and control of selenium deficiency, illthrift, white muscle disease and selenium responsive diseases in horses, cattle and sheep

DIRECTIONS FOR USE *By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.*

Read Package insert prior to use. By subcutaneous (under the skin) injection into the anterior half of the neck.

Lambs (over 15kg)	0.5mL	Cattle (over 400kg)	4 – 5mL
Sheep (over 40kg)	1mL	Foals (over 50kg)	1mL
Calves (over 150kg)	2mL	Horses (over 400kg)	4 – 5mL

WITHHOLDING PERIOD NIL

STORAGE Store below 25°C. Protect from light.

Age for the first injection and need for repeat doses as directed by your Veterinary surgeon. Do not exceed stated dose or dose more frequently than 3 weekly. Do not use at the same time as any other Selenised fertiliser, prill or product without consulting a Veterinarian.

Registered pursuant to the ACVM Act 1997, No A6139
See www.foodsafety.govt.nz for registration conditions.

Elanco New Zealand,
106 Wiri Station Road,
Manukau, Auckland 2104
Customer Info Line: 0800 446 121

Batch No. :



Expiry date :

500mL

90196732

70mm

PRODUCT INFO

BLUE #:	700404APB	Product Name:	SELOVIN-5
Item Code:	90196766	Component:	Insert
Product Code:	N/A	Pack Size:	500ml
Previous Item Code	85721372		

ARTWORK INFO

Template:	130 x 210 mm	Packaging Spec(s):	N/A
Barcodes/Type:	N/A	Add. Info:	N/A
		Minimum Core Data Point Size:	6 pt
GTIN:	GTIN Not Required	Proof #	P1b
		By/Date	CC 21-JUNE-2021



ELANCO ARTWORK LEGEND v13

WARNING

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY



Selovin-5™
INJECTABLE SELENIUM

DESCRIPTION

Active constituent: Each mL contains Elemental Selenium 5mg (as sodium selenate)

INDICATIONS

For the treatment and control of Selenium deficiency, illthrift, white muscle disease and other selenium responsive diseases in horses, cattle and sheep.

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

By subcutaneous (under the skin) injection into the anterior half of the neck.

The following doses are intended as a guide only. Do not use unless a deficiency of selenium has been diagnosed.

Lambs (over 15kg bwt): 0.5mL for treatment or prevention. Give at marking time and repeat at a maximum of once every month until 5 months of age if necessary.

Hoggets and Ewes (over 40kg bwt): 1mL for prevention at 2 – 3 monthly intervals.

Ewes: 1mL up to 6 weeks before lambing to provide selenium to the growing foetus and new born lamb.

Ewes and Rams: 1mL one month before mating and repeat if necessary 1 – 2 months later.

Calves (over 150kg bwt): 2mL depending on size commencing soon after birth and repeat at 1 – 2 monthly intervals.

Cows (over 400kg): 4 – 5mL up to 6 weeks before calving and repeat at mating time.

Foals (over 50kg bwt): 1mL repeat at 1 – 2 monthly intervals.

Horses (over 400kg bwt): 4 – 5mL repeat at 1 – 3 monthly intervals.

If using an automatic syringe, sheep and lamb doses and smaller doses for foals and calves, should only be administered using a 1mL or 2mL syringe.

NOTE Age for the first injection and need for repeat doses as directed by your Veterinary surgeon. Do not exceed stated dose or dose more frequently than 3 weekly. Do not use at the same time as any other Selenised fertiliser, prill or product without consulting a Veterinarian.

READ ENTIRE LEAFLET BEFORE USE

May be harmful if swallowed or inhaled. Sodium Selenate possibly may cause hepatotoxicity and damage to genetic material from repeated oral exposure at high doses.

HANDLING PRECAUTIONS

Avoid contact with skin or eyes and inhalation. Wear protective clothing such as impervious gloves, when using. Remove protective clothing and wash hands and exposed skin thoroughly before meals and after work. Do not eat, drink or smoke while using this product.

FIRST AID

If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.

ENVIRONMENTAL PROTECTION

Harmful to aquatic organisms with long-lasting effects. Avoid contamination of any water supply with product or empty container. Harmful to the soil environment. Avoid release to the environment.

WITHHOLDING PERIODS

Milk and Meat Nil

STORAGE

Store below 25°C. Protect from light.

DISPOSAL

Preferably dispose of the product by use. Otherwise dispose of product and packaging in an appropriate landfill, or an approved facility.

PRESENTATION

200mL and 500mL Flexipacks.

Registered pursuant to the ACVM Act 1997, No. A6139
See www.foodsafety.govt.nz for registration conditions.

Elanco New Zealand,
106 Wiri Station Road, Manukau, Auckland 2104
Customer Info Line: 0800 446 121

Selovin-5, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2021 Elanco or its affiliates

210mm