

SAFETY DATA SHEET

PROLAJECT B12 2000 FOR SHEEP AND CATTLE; ELEVATE B12 2000 FOR SHEEP AND CATTLE

Section 1. Identification

Product identifier : PROLAJECT B12 2000 FOR SHEEP AND CATTLE;

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Product code : 122000018531

Other means of : COBALIFE VB12 500ML (AUS); ELEVATE 2000 500ML (NZ); PROLAJECT 2000

identification FLEXI 500ML; Cobalife VB12; 84235970; 84235938; 84173274; 84235911;

84249505; 84249521; 84250007

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Veterinary medicines

Uses advised against : None known.

Company Name : Elanco New Zealand

106 Wiri Station Road, Manukau, Auckland 2140

Telephone number : +64 0800 352 626

0800 446 121 (Adverse Events Local Number)

: CHEMTREC International: 00 1 703-527-3887 (24 hours)

Emergency telephone

number CHEMTREC: +64 9-801 0034 (Local)

CHEMTREC: 0800 425 459 (Freephone)

Email : elanco sds@elancoah.com

Section 2. Hazards identification

HSNO Approval Number : HSR100757

HSNO Group Standard: Veterinary Medicines (Limited Pack Size, Finished Dose)

HSNO Classification : SKIN SENSITISATION - Category 1

This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020 Transport of Dangerous Goods on Land.

GHS label elements

Signal word : Warning

Hazard statements : H317 - May cause an allergic skin reaction.

Precautionary statements

Prevention : P280 - Wear protective gloves.

P261 - Avoid breathing vapour.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Response : P362 + P364 - Take off contaminated clothing and wash it before reuse.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Symbol :



Product name : PROLAJECT B12 2000 FOR SHEEP AND CATTLE; **NZ : ENGLISH**

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Version :0.06 Date of revision :1 June 2023 Date of previous issue :19 April 2023 1/10

Section 2. Hazards identification

Other hazards which do not : None known.

result in classification

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
propane-1,2-diol	≤3	57-55-6
Methylparaben	≤0.3	99-76-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

Ingestion : Wash out mouth with water. Remove dentures if any. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Skin contact: Wash with plenty of soap and water. Remove contaminated clothing and shoes.

Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before

reuse. Clean shoes thoroughly before reuse.

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

2/10

minutes. Get medical attention if irritation occurs.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

Skin contact: May cause an allergic skin reaction.

Eye contact: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.

Skin : Adverse symptoms may include the following:

irritation redness

Eyes : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Specific treatments: No specific treatment.

Product name: PROLAJECT B12 2000 FOR SHEEP AND CATTLE: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Version :0.06 Date of revision :1 June 2023 Date of previous issue :19 April 2023

Section 4. First aid measures

Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide carbon monoxide

Hazchem code

: Not available.

Special precautions for firefighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

PROLAJECT B12 2000 FOR SHEEP AND CATTLE: Product name: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Date of revision: 1 June 2023 Version: 0.06 Date of previous issue: 19 April 2023 3/10

Section 7. Handling and storage

Protective measures

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
propane-1,2-diol	HSWA 2015 - HSW (GRWM) 2016. Workplace exposure standards (WES) (New Zealand, 11/2020). WES-TWA: 10 mg/m³ 8 hours. Form: Particulate WES-TWA: 150 ppm 8 hours. Form: Vapor and particulates WES-TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 10 mg/m³ 8 hours. Form: Particulate TWA: 474 mg/m³ 8 hours. Form: total vapour and particulates TWA: 150 ppm 8 hours. Form: total vapour and particulates Safe Work Australia (Australia, 12/2019). TWA: 10 mg/m³ 8 hours. Form: Particulate TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

- **Environmental exposure** controls
- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

PROLAJECT B12 2000 FOR SHEEP AND CATTLE: Product name: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Date of revision: 1 June 2023 Date of previous issue: 19 April 2023 Version: 0.06 4/10

Section 8. Exposure controls/personal protection

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

: Not available.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid.

Colour : Clear. Dark Red.

Odour : Odourless.

Odour threshold : Not available.

PH : Not available.

Melting point/freezing point : Not available.

Boiling point, initial boiling point, and boiling range

Flash point

	Closed cup			Open c	up	
Ingredient name	°C	°F	Method	°C	°F	Method
acetic acid	39	102.2				
propane-1,2-diol	99	210.2				

5/10

Evaporation rate : Not available.

Flammability : Not available.

Lower and upper explosion : Not available.

limit/flammability limit

Vapour pressure :

Product name : PROLAJECT B12 2000 FOR SHEEP AND CATTLE; **NZ : ENGLISH** ELEVATE B12 2000 FOR SHEEP AND CATTLE

Deta of revision v4 luna 2000

Version :0.06 Date of revision :1 June 2023 Date of previous issue :19 April 2023

Section 9. Physical and chemical properties and safety characteristics

	Vapou	r Pressu	re at 20°C Vapour pressure at 50			ıre at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
acetic acid	15.59	2.1				
propane-1,2-diol	0.15	0.02	EU A.4			

Relative vapour density : Not available.

Relative density : Not available.

Not available.Not available.

Solubility in water
Partition coefficient: n-

: Not available.

octanol/water

Solubility(ies)

: Not applicable.

Auto-ignition temperature

Ingredient name	°C	°F	Method
propane-1,2-diol	371	699.8	
methyl 4-hydroxybenzoate	>403	>757.4	
acetic acid	463	865.4	

Decomposition temperature: Not available.Viscosity: Not available.Flow time (ISO 2431): Not available.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials: No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

6/10

should not be produced.

Section 11. Toxicological information

Information on likely routes of exposure

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Eye contact : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.Ingestion: No specific data.

Product name: PROLAJECT B12 2000 FOR SHEEP AND CATTLE: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Version :0.06 Date of revision :1 June 2023 Date of previous issue :19 April 2023

Section 11. Toxicological information

Skin contact : Adverse symptoms may include the following:

irritation redness

Eye contact : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
propane-1,2-diol	LD50 Dermal	Rabbit	20800 mg/kg	-
	LD50 Oral	Rat	20 g/kg	-
Methylparaben	LD50 Oral	Rat	2100 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Skin - Mild irritant	Human	-	168 hours	-
				500 mg	
	Skin - Mild irritant	Woman	-	96 hours 30	-
				%	
	Skin - Moderate irritant	Child	-	96 hours 30	-
				% C	
	Skin - Moderate irritant	Human	-	72 hours 104	-
				mg I	
Methylparaben	Skin - Mild irritant	Rabbit	-	24 hours 0.1	-
				MI	
	Skin - Moderate irritant	Rabbit	-	504 hours	-
				0.5 MI I	

Sensitisation

Not available.

Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

Skin contact : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Eye contact : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Chronic toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Methylparaben	Chronic NOAEL Oral	Rat - Male, Female	250 mg/kg	28 days; days per week

Carcinogenicity

Not available.

Mutagenicity

Product name: PROLAJECT B12 2000 FOR SHEEP AND CATTLE: NZ: ENGLISH ELEVATE B12 2000 FOR SHEEP AND CATTLE

7/10

Version: 0.06 Date of revision: 1 June 2023

Date of previous issue: 19 April 2023

Section 11. Toxicological information

Product/ingredient name	Test	Experiment	Result
Methylparaben	OECD 473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Positive

Teratogenicity

Not available.

Reproductive toxicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
propane-1,2-diol	20000	20800	N/A	N/A	N/A
Methylparaben	2100	N/A	N/A	N/A	N/A

Section 12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	EC50 19000 mg/l	Aquatic plants	72 hours
	EC50 34400 mg/l	Daphnia	48 hours
	Acute LC50 1020000 μg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 710000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
methyl 4-hydroxybenzoate	EC50 91 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	LC50 59.5 mg/l	Fish - Oryzias latipes	96 hours
	NOEC 0.2 mg/l Acute EC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna Daphnia - Daphnia magna	21 days 48 hours

Persistence/degradability

Product/ingredient name	Test	Result	Dose	Inoculum
propane-1,2-diol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	38 % - Not readily - 28 days	-	-
methyl 4-hydroxybenzoate	OECD 301F Ready Biodegradability - Manometric	92.2 % - 28 days	-	-

Product name : PROLAJECT B12 2000 FOR SHEEP AND CATTLE;

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Version : 0.06 Date of revision : 1 June 2023 Date of previous issue : 19 April 2023 8/10

NZ: ENGLISH

Section 12. Ecological information

	Respirometry Test		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol methyl 4-hydroxybenzoate	-	-	Not readily Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
propane-1,2-diol	-1.07	-	Low
methyl 4-hydroxybenzoate	1.98	-	Low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	New Zealand - Land - road/ railway	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

9/10

Transport in bulk according to IMO instruments

: Not available.

PROLAJECT B12 2000 FOR SHEEP AND CATTLE: Product name: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Date of revision: 1 June 2023 Date of previous issue: 19 April 2023 Version: 0.06

Section 15. Regulatory information

HSNO Approval Number : HSR100757

HSNO Group Standard : Veterinary Medicines (Limited Pack Size, Finished Dose)

HSNO Classification : SKIN SENSITISATION - Category 1

ACVM No. : A006536; A009884

Inventory list

New Zealand : All components are listed or exempted.

Section 16. Other information

History

Date of issue/Date of

Date of previous issue

: 6/1/2023

revision

: 4/19/2023 : 0.06

Version Key to abbreviations

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships.

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods

bv Rail

SGG = Segregation Group UN = United Nations

References

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact:

Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441

PROLAJECT B12 2000 FOR SHEEP AND CATTLE: Product name: NZ: ENGLISH

ELEVATE B12 2000 FOR SHEEP AND CATTLE

Date of revision: 1 June 2023 Version: 0.06 Date of previous issue: 19 April 2023 10/10