

Product Name: COBALIFE VB12 FOR SHEEP AND CATTLE
APVMA Approval No: 61466/132937



Label Name:	COBALIFE VB12 FOR SHEEP AND CATTLE
Signal Headings:	KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY
Constituent Statements:	2 mg/mL HYDROXOCOBALAMIN (AS ACETATE)
Claims:	For the treatment and control of Vitamin B12 deficiency in sheep and cattle.
Net Contents:	200 mL 500 mL
Directions for Use:	
Restraints:	
Contraindications:	
Precautions:	
Side Effects:	
Dosage and Administration:	Use the contents within 24 hours of first broaching. Discard the unused portion. Give dose by subcutaneous injection only. LAMBS 0.5 mL at marking or weaning. SHEEP 1 - 1.5 mL pre lambing. CALVES 2 - 3 mL from 2 months of age. COWS 4 – 6 mL pre calving.

The frequency of dosing should be related to the severity of the deficiencies. For instance, for sheep in extremely deficient areas, repeat dose every 2-3 months. In less deficient areas, repeat dose every 5-6 months or as found necessary. Consult your animal health advisor for advice specific to your flock or herd.

General Directions:

CAUTION: Avoid carcass damage.

- Sterilise all injection apparatus by boiling (or equivalent) before use. Avoid use of strong disinfectants on apparatus.
- Maintain cleanliness at all times.
- Keep needles sharp and clean. Replace frequently.
- Use shortest needles possible certainly not exceeding 15 mm.
- As far as possible, avoid injection in wet weather or under dusty conditions.
- This product should be injected only under the skin.
- If possible inject high on the neck behind the ear.

Withholding Periods:

MEAT: Zero (0) days
MILK: Zero (0) days

Trade Advice:

EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Elanco Australasia Pty Ltd on 1800 995 709 or the APVMA website (www.apvma.gov.au/residues).

Safety Directions:

First Aid Instructions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

First Aid Warnings:

Additional User Safety:

Environmental Statements:

Disposal:

Dispose of container by wrapping with paper and putting in garbage. Discarded needles/ sharps should immediately be placed in a designated and appropriately labelled 'sharps' container.

Storage:

Store below 25°C (air conditioning). Protect from light.