

**FOR ANIMAL TREATMENT ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

Agilis Logo

**Ulti-Mate**  
Cattle Insert

**Intravaginal progesterone release insert for controlled breeding in cattle**

**Contains 200 inserts**

Each insert contains only 1.1 grams of progesterone.

### **INDICATIONS**

Control of the oestrous cycle in maiden heifers and parous cows to enable synchronisation for:

- concentrated artificial insemination (AI).
- embryo collection and transfer programmes.

Treatment of post-partum and suckling anovulatory anoestrus (non-cycling cows).

### **CONTRAINDICATIONS**

Not for use in cattle with abnormal vaginas. Animals in poor condition resulting from illness or nutritional stress may not respond.

### **WITHHOLDING PERIODS**

No withholding period is required for either milk or meat, but inserts should always be removed before slaughter.

### **STORAGE**

Store below 25°C (Room Temperature). Keep inserts in the sealed bag in the cardboard carton, clean and dry until use. Evacuate air and completely reseal bags when not in use.

Registered pursuant to the ACVM Act 1997, No. A11924  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

**PROGRAMMES FOR THE TREATMENT OF ANOVULATORY ANOESTRUS AND  
SYNCHRONISATION OF OESTRUS IN CATTLE**

**Fixed Time AI Option**



Information above the line is not part of the label

Day -10: Administer **Ulti-Mate Cattle Insert** and inject gonadotrophin releasing hormone (GnRH)

Day -3: Remove **Ulti-Mate Cattle Insert** and inject prostaglandin.

Day -1: Inject with GnRH

Day 0: Fixed time AI 16-20 hours after GnRH injection.

### Heat Detection Option

Day -9: Administer **Ulti-Mate Cattle Insert** and inject gonadotrophin releasing hormone (GnRH)

Day -2: Remove **Ulti-Mate Cattle Insert** and inject prostaglandin.

Day 0: Mate to observed heat.

Day +1: Inject unmated cows with GnRH and perform fixed time AI at same time.

### DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

**Warning: Suspected of damaging fertility or the unborn child. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Wear rubber gloves when handling the inserts. If exposed or concerned get medical advice or attention.**



### Insertion

1. Wash the applicator in a non-irritating antiseptic solution, then dip the front portion of the applicator into veterinary obstetrical lubricant.
2. Place the insert into the applicator so that the wings are folded and only the tips of the wings protrude from the front of the applicator.
3. Dip the front portion of the applicator into veterinary obstetrical lubricant.
4. Lift the tail of the animal and wipe clean the lips of the vulva with a disposable tissue.
5. With the animal's tail lifted, insert the loaded applicator, sloping it slightly upwards, through the vulva and then forward, without forcing, into the forward portion of the vagina.
6. Grasp the finger holds of the applicator to expel the insert and remove the applicator.

Information above the line is not part of the label

7. With the insert correctly placed, with the wings open in the anterior portion of the vagina, the tail of the insert should be visible protruding from the vulva.

### **Removal**

Withdraw by gently, but firmly, pulling on the protruding tail of the insert.

### **Disposal**

Used inserts and packaging should be burnt in an appropriate incinerator if circumstances allow, otherwise buried in an approved landfill, or other approved facility.

### **REGISTERED TO:**

Agilis Vet Limited  
325 Pages Road  
Timaru  
TEL: 0800 244 547  
VISIT: [www.agilis.nz](http://www.agilis.nz)

Batch number:

Expiry:



**FOR ANIMAL TREATMENT ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

Agilis Logo

## **Ulti-Mate**

Cattle Insert

**Intravaginal progesterone release insert for controlled breeding in cattle**

### **Contains 10 inserts**

Each insert contains only 1.1 grams of progesterone.

### **DIRECTIONS FOR USE**

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

### **WARNING:**

Suspected of damaging fertility or the unborn child. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Wear rubber gloves when handling the inserts. If exposed or concerned get medical advice or attention.

### **STORAGE**

Store below 25°C (Room Temperature). Keep inserts in the sealed bag in the cardboard carton, clean and dry until use. Evacuate air and completely reseal bags when not in use.

Registered pursuant to the ACVM Act 1997, No. A11924  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

**See carton for full directions**

### **REGISTERED TO:**

Agilis Vet Limited  
325 Pages Road  
Timaru  
TEL: 0800 244 547  
VISIT: [www.agilis.nz](http://www.agilis.nz)



Information above the line is not part of the label

Batch number:

Expiry:



**FOR ANIMAL TREATMENT ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

Elanco Logo

## **Ulti-Mate**

Cattle Insert

**Intravaginal progesterone release insert for controlled breeding in cattle**

### **Contains 200 inserts**

Each insert contains only 1.1 grams of progesterone.

### **INDICATIONS**

Control of the oestrous cycle in maiden heifers and parous cows to enable synchronisation for:

- concentrated artificial insemination (AI).
- embryo collection and transfer programmes.

Treatment of post-partum and suckling anovulatory anoestrus (non-cycling cows).

### **CONTRAINDICATIONS**

Not for use in cattle with abnormal vaginas. Animals in poor condition resulting from illness or nutritional stress may not respond.

### **WITHHOLDING PERIODS**

No withholding period is required for either milk or meat, but inserts should always be removed before slaughter.

### **STORAGE**

Store below 25°C (Room Temperature). Keep inserts in the sealed bag in the cardboard carton, clean and dry until use. Evacuate air and completely reseal bags when not in use.

Registered pursuant to the ACVM Act 1997, No. A11924  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

**PROGRAMMES FOR THE TREATMENT OF ANOVULATORY ANOESTRUS / OESTRUS  
SYNCHRONISATION OF OESTRUS IN CATTLE**

**Fixed Time AI Option**



Information above the line is not part of the label

Day -10: Administer **Ulti-Mate Cattle Insert** and inject gonadotrophin releasing hormone (GnRH)

Day -3: Remove **Ulti-Mate Cattle Insert** and inject prostaglandin.

Day -1: Inject with GnRH

Day 0: Fixed time AI 16-20 hours after GnRH injection.

### Heat Detection Option

Day -9: Administer **Ulti-Mate Cattle Insert** and inject gonadotrophin releasing hormone (GnRH)

Day -2: Remove **Ulti-Mate Cattle Insert** and inject prostaglandin.

Day 0: Mate to observed heat.

Day +1: Inject unmated cows with GnRH and perform fixed time AI at same time.

### DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

**Warning: Suspected of damaging fertility or the unborn child. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Wear rubber gloves when handling the inserts. If exposed or concerned get medical advice or attention.**



### Insertion

1. Wash the applicator in a non-irritating antiseptic solution, then dip the front portion of the applicator into veterinary obstetrical lubricant.
2. Place the insert into the applicator so that the wings are folded and only the tips of the wings protrude from the front of the applicator.
3. Dip the front portion of the applicator into veterinary obstetrical lubricant.
4. Lift the tail of the animal and wipe clean the lips of the vulva with a disposable tissue.
5. With the animal's tail lifted, insert the loaded applicator, sloping it slightly upwards, through the vulva and then forward, without forcing, into the forward portion of the vagina.
6. Grasp the finger holds of the applicator to expel the insert and remove the applicator.



Information above the line is not part of the label

7. With the insert correctly placed, with the wings open in the anterior portion of the vagina, the tail of the insert should be visible protruding from the vulva.

### **Removal**

Withdraw by gently, but firmly, pulling on the protruding tail of the insert.

### **Disposal**

Used inserts and packaging should be burnt in an appropriate incinerator if circumstances allow, otherwise buried in an approved landfill, or other approved facility.

#### **REGISTERED TO:**

Agilis Vet Limited  
325 Pages Road  
Timaru  
TEL: 0800 244 547  
VISIT: [www.agilis.nz](http://www.agilis.nz)

#### **DISTRIBUTED BY:**

Elanco NZ  
106 Wiri Station Road  
Manukau  
Auckland 2104  
TEL: 0800 446 121  
VISIT: [www.elanco.co.nz](http://www.elanco.co.nz)

Batch number:

Expiry:





**FOR ANIMAL TREATMENT ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

Elanco Logo

## **Ulti-Mate**

Cattle Insert

**Intravaginal progesterone release insert for controlled breeding in cattle**

### **Contains 10 inserts**

Each insert contains only 1.1 grams of progesterone.

### **DIRECTIONS FOR USE**

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

### **WARNING:**

Suspected of damaging fertility or the unborn child. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Wear rubber gloves when handling the inserts. If exposed or concerned get medical advice or attention.

### **STORAGE**

Store below 25°C (Room Temperature). Keep inserts in the sealed bag in the cardboard carton, clean and dry until use. Evacuate air and completely reseal bags when not in use.

Registered pursuant to the ACVM Act 1997, No. A11924  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

**See carton for full directions**

REGISTERED TO:  
Agilis Vet Limited  
325 Pages Road  
Timaru  
TEL: 0800 244 547  
VISIT: [www.agilis.nz](http://www.agilis.nz)



**DISTRIBUTED BY:**

Elanco NZ

106 Wiri Station Road

Manukau

Auckland 2104

TEL: 0800 446 121

VISIT: [www.elanco.co.nz](http://www.elanco.co.nz)

Batch number:

Expiry:

