

Classification of the

SAFETY DATA SHEET

Interseal Teat Sealant for Dry Cows

Section 1. Identification

Product identifier	:	Interseal Teat Sealant for Dry Cows
Product code	:	122000018846
Other means of identification	:	90210403; 90211217; Interseal (AUS), Udderseal (USA)

Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	: Veterinary pharmaceutical.		
Uses advised against	: Not for human use.		
Company Name	: Elanco Australasia Pty Ltd Level 3, 7 Eden Park Drive Macquarie Park NSW 2113 Australia		
Telephone number	: 1800 995 709 (Adverse Events Local Number)		
Emergency telephone number	: CHEMTREC International: 00 1 703-527-3887 (24 hours) CHEMTREC: +61 2 9037 2994 (Local) CHEMTREC: 1800 862 115 (Freephone)		
Email	: elanco_sds@elancoah.com		

Section 2. Hazard(s) identification

: No signal word.
: No known significant effects or critical hazards.
<u>ts</u>
: Not applicable.

: Not classified.

Other hazards which do not : None known. result in classification

Section 3. Composition and ingredient information

Substance/mixture : Mixture		
Ingredient name	% (w/w)	Identifiers
White mineral oil (petroleum)		CAS: 8042-47-5 EC: 232-455-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Section 3. Composition and ingredient information

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effect	's
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sympt	<u>oms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.	

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.

Section 5. Firefighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	ipment and emergency procedures	
For non-emergency personnel	ction shall be taken involving any personal risk or without su uate surrounding areas. Keep unnecessary and unprotecte ing. Do not touch or walk through spilt material. Put on app ctive equipment.	d personnel from
For emergency responders	ecialised clothing is required to deal with the spillage, take no mation in Section 8 on suitable and unsuitable materials. Se mation in "For non-emergency personnel".	•
Environmental precautions	d dispersal of spilt material and runoff and contact with soil, sewers. Inform the relevant authorities if the product has ca tion (sewers, waterways, soil or air).	
Methods and material for cor	nt and cleaning up	
Small spill	e containers from spill area. Vacuum or sweep up material a nated, labelled waste container. Dispose of via a licensed v actor.	
Large spill	e containers from spill area. Prevent entry into sewers, wate ments or confined areas. Vacuum or sweep up material and	

Section 7. Handling and storage

contractor.

Precautions for safe handling		
Protective measures	n appropriate personal protective equipment (see Sec	tion 8).
Advice on general occupational hygiene	g, drinking and smoking should be prohibited in areas led, stored and processed. Workers should wash har g, drinking and smoking. Remove contaminated cloth oment before entering eating areas. See also Section nation on hygiene measures.	nds and face before ing and protective
Conditions for safe storage, including any incompatibilities	e in accordance with local regulations. Store in original direct sunlight in a dry, cool and well-ventilated area, rials (see Section 10) and food and drink. Keep conta ed until ready for use. Containers that have been oper aled and kept upright to prevent leakage. Do not store appropriate containment to avoid environmental conta compatible materials before handling or use.	away from incompatible ainer tightly closed and ned must be carefully a in unlabelled containers.

designated, labelled waste container. Dispose of via a licensed waste disposal

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
White mineral oil (petroleum)	Safe Work Australia (Australia, 1/2024) [Oil mist, refined mineral] TWA 8 hours: 5 mg/m ³ . Form: Mist. DFG MAC-values list (Germany, 7/2023) Develop C. PEAK 15 minutes: 20 mg/m ³ 4 times per shift [Interval: 1 hour]. Form: respirable fraction. TWA 8 hours: 5 mg/m ³ . Form: respirable fraction.	

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance					
Physical state	1	Solid. [Suspension / Paste.]			
Colour	1	White. / Off-white.			
Odour	:	Not available.	Not available.		
Odour threshold	1	Not available.			
рН	:	Not available.			
Melting point/freezing point	1	260°C (500°F) [based on c	components]		
Boiling point or initial boiling point and boiling range	:	Not available.			
Flash point	1	Not applicable.			
Evaporation rate	1	Not available.			
Flammability	4	Not available.			
Lower and upper explosion limit/flammability limit	:	Not applicable.			
Vapour pressure	1	Not available.			
Relative vapour density	4	Not applicable.	Not applicable.		
Relative density	1	4.93 [based on component	4.93 [based on components]		
Solubility(ies)	1	Media	Result		
		cold water hot water	Not soluble [based on components] Not soluble [based on components]		
Solubility in water	:	Not available.			
Partition coefficient: n- octanol/water	:	Not applicable.	Not applicable.		
Auto-ignition temperature	1	Not applicable.	Not applicable.		
Decomposition temperature	1	Not available.			
Viscosity	:	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.			
Flow time (ISO 2431)	:	Not available.			
Particle characteristics					
Median particle size	1	Not available.			

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects	
Acute toxicity	
Product/ingredient name	Result
White mineral oil (petroleum)	Rat - Oral - LD50
	>5000 mg/kg
Conclusion/Summany/Droduct	
Conclusion/Summary[Product]	: Not available.
Skin corrosion/irritation	
Product/ingredient name	Result
White mineral oil (petroleum)	Rabbit - Skin - Not irritant OECD [Acute Dermal Irritation/Corrosion]
Conclusion/Summary[Product]	: Not available.
Serious eye damage/eye irritation	
Product/ingredient name	Result
White mineral oil (petroleum)	Rabbit - Eyes - Not irritant
	OECD [Acute Eye Irritation/Corrosion]
Conclusion/Summary[Product]	: Not available.
Respiratory corrosion/irritation	
Not available.	
Conclusion/Summary[Product]	: Not available.
Respiratory or skin sensitization	
Product/ingredient name	Result
White mineral oil (petroleum)	Guinea pig - skin <u>Result</u> : Not sensitizing
Skin	
Conclusion/Summary[Product]	: Not available.
Respiratory	
Conclusion/Summary[Product]	: Not available.
Germ cell mutagenicity	
Product/ingredient name	Result
White mineral oil (petroleum)	In vitro - Bacteria
	OECD [Bacterial Reverse Mutation Test] <u>Result</u> : Negative
Conclusion/Summary[Product]	: Not available.
Carcinogenicity	
Not available.	

Section 11. Toxicological information

Conclusion/Summary[Product]

: Not available.

Reproductive toxicity Product/ingredient name

White mineral oil (petroleum)

Result

Rat - Oral >4350 mg/kg <u>Effects</u>: Animal studies have produced no evidence of toxic effects on reproduction. <u>Fertility effects</u>: Negative

Conclusion/Summary[Product]

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Product/ingredie	nt name
------------------	---------

White mineral oil (petroleum)

Result ASPIRATION HAZARD - Category 1

Information on likely routes of exposure

Not available.

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects Product/ingredient name

Result

Section 11. Toxicological information

White mineral oil (petroleum)

Chronic - Rabbit - Dermal - NOAEL OECD [Repeated Dose Dermal Toxicity: 21/28-day Study] 1000 mg/kg

Conclusion/Summary[Pr	oduct] : Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates N/A

Section 12. Ecological information

Toxicity	
Product/ingredient name	Result
White mineral oil (petroleum)	Acute - LC50 Daphnia - <i>Daphnia magna</i> >100 mg/l [48 hours] Acute - LC50 Fish - <i>Oncorhynchus mykiss</i> >100 mg/l [96 hours]
Conclusion/Summary[Product]	: Not available.
Persistence and degradability	
Product/ingredient name	Result
White mineral oil (petroleum)	OECD [Ready Biodegradability - Manometric Respirometry Test] >31.3% [28 days]
Conclusion/Summary[Product]	: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
White mineral oil (petroleum)	-	-	Inherent

Bioaccumulative potential

Product/ingredient r	ame LogP _{ow}	BCF	Potential	
White mineral oil (pet	oleum) >6	-	High	

Mobility in soil

Soil/water partition	: Not available.
coefficient	

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	•					
	ADG	ADR/RID	IMDG	IATA		
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.		
UN proper shipping name	-	-	-	-		
Transport hazard class(es)	-	-	-	-		
Packing group	-	-	-	-		
Environmental hazards	No.	No.	No.	No.		

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

National regulations

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Date of issue/Date of

APVMA Approval Number : 90789

Inventory list Australia

: Not determined.

Section 16. Any other relevant information

<u>History</u>

: 1/17/2025

revision	
Date of previous issue	: 3/5/2024
Version	: 0.03

Section 16. Any other relevant information

Key to abbreviations	: ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations
Barris dama and the dealers to	

Procedure used to derive the classification

Classification	Justification
Not classified.	

References

: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441