

WARNING
 KEEP OUT OF REACH OF CHILDREN
 COMBUSTIBLE LIQUID
 FOR ANIMAL TREATMENT ONLY

Elanco™



profender™

ALLWORMER

for Cats

21.4 g/L EMODEPSIDE
 85.8 g/L PRAZIQUANTEL

For the treatment and control of intestinal parasites in cats including:

- Roundworms – mature, immature, and larval (L₃ and L₄) stages of *Toxocara cati*, and mature, immature, larval (L₄) stages of *Toxascaris leonina*
- Hookworm *Uncinaria stenocephala**, including larval (L₄) and immature stages
- Tapeworms- mature and immature stages of *Dipylidium caninum*, *Taenia taeniaeformis*.

*not clinically significant in New Zealand

DIRECTIONS FOR USE:

For external application only

Dosage

The minimum recommended dosage is 3mg/kg emodepside and 12mg/kg praziquantel equivalent to 0.14mL PROFENDER per kg bodyweight.


For animals of this type ↓	Use 1 TUBE from this pack colour ↓
Small cats & kittens 0.5 to 2.5 kg	Green
Medium cats 2.5 to 5 kg	Blue
Large cats 5 to 8 kg	Red

A single treatment is effective. Retreat according to General Instructions below.


By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than directed on the label.

Advice on Correct Administration

Remove one tube from blister packaging. Hold tube in upright position, twist and pull off the cap. Turn the cap over and place the other end of the cap onto the tip of the tube. Twist the cap to break the seal and then remove cap from tube.



Part the hair on the cat's neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze firmly several times to empty the contents directly onto the skin. Apply only onto intact skin.



CONTRAINDICATIONS

Do not administer to kittens under 8 weeks of age or less than 0.5kg bodyweight.

GENERAL INSTRUCTIONS

For tapeworms, treat every 3 months.

For roundworms treat at 8, and 12 weeks of age and thereafter every 3 months.

PROFENDER can be used during pregnancy and lactation. For pregnant cats, treat at mating, before birth of the kittens and then every 3 months.

If worm problems persist consult a veterinarian.

Do not administer by mouth. Avoid the recipient cat or other cats in the household licking the site of application after the treatment has been applied. If licked by cats, transient signs of distaste (salivation and occasionally vomiting) may be observed due to the bitter taste. In very rare cases transient alopecia, pruritus and/or inflammation may be observed at the application site following administration of Profender.

Shampooing or immersion of the animal in water directly after treatment may reduce the efficacy of the product. Treated animals should not be bathed until the solution has fully dried. The liquid vehicle in PROFENDER may discolour certain surfaces and fabrics. Allow the application site to dry before permitting contact.

READ ENTIRE LABEL BEFORE USE

HANDLING PRECAUTIONS

May be harmful if swallowed. May cause eye irritation. Wash hands and exposed skin before meals and after use. Avoid contact with eyes. When handling, wear eye protection. Use personal protective equipment as required. Care should be taken to not allow children to have prolonged contact (for example by sleeping) with treated cats for the first 24 hours after application of the product. Combustible liquid. Keep away from sources of ignition. Suspected of damaging fertility or the unborn child from repeated exposure. Emodepside may cause liver and kidney damage from repeated exposure at high doses.

FIRST AID

If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes wash out immediately with water.

DISPOSAL

Preferably dispose of applicators by wrapping in paper and placing in garbage.

Storage

Store in the unopened, original packaging below 30 °C (Room Temperature).

Registered pursuant to the ACVM Act 1997, No A9546. See www.foodsafety.govt.nz for registration conditions.

Bayer New Zealand Ltd
 3 Argus Place, Hillcrest, Auckland, New Zealand
 Customer Info Line: 0800 446 121

PROFENDER™ is a registered trademark of Elanco.

Profender, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

Elanco™