



Product Name: SENTINEL SPECTRUM TASTY CHEWS FOR MEDIUM DOGS

APVMA Approval No: 62391/127281

Restraints:

Label Name: SENTINEL SPECTRUM TASTY CHEWS FOR MEDIUM DOGS						
Signal Headings:	CAUTION					
	KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY					
Constituent Statements:	Each chew contains:					
Statements:	230 mg LUFENURON					
	114 mg PRAZIQUANTEL					
	11.5 mg MILBEMYCIN OXIME					
Claims:	ALL-ROUND* FLEA, HEARTWORM AND WORM PROTECTOR ONCE MONTHLY  • Prevents heartworm infection					
	Controls roundworm, whipworm, hookworm and tapeworm					
	Prevents and controls fleas long term					
	Controls flea allergy dermatitis					
	* Does not kill adult fleas					
	Monthly treatment with SENTINEL SPECTRUM Tasty Chews for Dogs will:					
	1. Prevent heartworm (Dirofilaria immitis) infection,					
	<ol> <li>Control adult roundworm (Toxocara canis, Toxascaris leonina), immature roundworm (Toxocara canis), adult whipworm (Trichuris vulpis), adult hookworm (Ancylostoma caninum), adult tapeworm (Echinococcus granulosus, Taenia pisiformis, Dipylidium caninum) infection,</li> </ol>					
	3. Provide long term protection and control of flea (Ctenocephalides felis) infestations, and control of flea allergy dermatitis in dogs.					
Net Contents:	1, 3, 6, 12 chews					
	It is illegal to sell chews separately					
Directions for Use:						

# Contraindications:

# Precautions:

SENTINEL SPECTRUM Tasty Chews provide a wide margin of safety in dogs when used according to label directions. Milbemycin oxime has been tested in over 75 different breeds of dogs, including pregnant females, breeding males and females, and puppies from 2 weeks of age. Satisfactory margins of safety have been demonstrated for both milbemycin oxime and praziguantel when administered during all reproductive phases.

Some mild, transient, shock-like reactions have occurred when treating heartworm positive dogs carrying a high number of microfilariae at the time of the first treatment with milbemycin oxime.

The following adverse reactions have been reported in dogs after giving milbemycin oxime and lufenuron together in tablet form: vomiting, diarrhoea, depression/lethargy or pruritus.

SENTINEL SPECTRUM Tasty Chews have been tested in puppies from 6 weeks of age. In safety studies with SENTINEL SPECTRUM Tasty Chews, in some cases puppies showed reduced activity, ataxia, tremors and salivation. These signs were most commonly seen with overdosing and were mild, observed only within 24 hours of treatment, and resolved without medical intervention. Contact your veterinarian if any unusual signs develop following treatment with SENTINEL SPECTRUM Tasty Chews.

#### Side Effects:

# Dosage and Administration:

#### 1. Test for Heartworm

Before starting SENTINEL SPECTRUM Tasty Chews, you should have your veterinarian confirm, by a simple test, that your dog does not have heartworm.

2. Give SENTINEL SPECTRUM Tasty Chews with a FULL MEAL Give your dog one SENTINEL SPECTRUM Tasty Chew once a month with a FULL MEAL. Most dogs will take a SENTINEL SPECTRUM Tasty Chew from your hand. If this is not the case, try hiding the chew in their food.

Be certain that the entire dose is consumed; watch your dog for several minutes after dosing to ensure that this is the case. If the entire dose is not consumed, redose as soon as possible with the full dose.

### Dose monthly

SENTINEL SPECTRUM Tasty Chews must be given every month, preferably on the same date each month, to ensure complete protection for your dog.

(dosage table)

SENTINEL SPECTRUM Tasty Chews are also suitable for Puppies SENTINEL SPECTRUM Tasty Chews are available in small dog sizes that can be given to puppies from 6 weeks of age.

Growing puppies may gain sufficient weight during the course of treatment to require an increased dose of SENTINEL SPECTRUM Tasty Chews. Consult your veterinarian for the appropriate dosage regime for your puppy.

What happens if I miss a dose or I am late in dosing?

The regular interval between doses is one month i.e. approximately 30 days. If you miss your regular monthly treatment by 15 days or less, administer SENTINEL SPECTRUM Tasty Chews immediately and resume your monthly dosing schedule. If the interval is longer than 15 days and up to 30 days, heartworm prevention can be maintained if you redose immediately and then maintain regular monthly dosing for the next 2 months.

If a period of greater than 60 days has elapsed since the last dose, please consult your veterinarian.

How do I switch from another heartworm medication to SENTINEL SPECTRUM Tasty Chews?

If SENTINEL SPECTRUM Tasty Chews replaces daily dosing heartworm tablets containing DEC (Diethyl-carbamazine citrate), the first dose of SENTINEL SPECTRUM Tasty Chews must be given within 30 days of the change-over. If SENTINEL SPECTRUM Tasty Chews replaces monthly heartworm prevention, simply continue your monthly dosing regime.

This section contains file attachment.

#### General Directions:

#### PARASITE PROTECTION EXPLAINED

SENTINEL SPECTRUM Tasty Chews provides protection against all three parasite groups, heartworm, intestinal worms and fleas. Parasite protection is important for your dog and your family.

#### Heartworm

- Heartworm can kill, cause heart disease and organ failure.
- If untreated advanced cases can kill within 72 hours of clinical signs appearing.
- Most dogs infected with heartworm may not show any signs of disease for several years. Unfortunately, by this time the disease is well advanced.
- Heartworm is spread by mosquitoes and all dogs are potentially at risk.
   This is why effective prevention is so important for your dog.

#### Intestinal worms

Intestinal worms include roundworm, whipworm, hookworm and tapeworm. They are picked up from the environment and passed on through faeces of infected dogs. For control of intestinal worms, treat with SENTINEL SPECTRUM Tasty Chews every month. In puppies, the minimum worming treatment recommended is at 2, 4, 8 and 12 weeks. SENTINEL SPECTRUM Tasty Chews can be used from 6 weeks of age. In pregnant bitches, treat at mating and then every month. Ensure there is a treatment prior to whelping.

#### Roundworm

- Roundworms cause diarrhoea, vomiting, abdominal pain, stunted growth and a pot belly appearance.
- They are present in most puppies when born but can also be picked up by dogs of any age.

#### Whipworm

- Whipworms cause bloody diarrhoea and anaemia.
- They are picked up from soil and passed through faeces of infected dogs.
- · Whipworms frequently evade detection.

#### Hookworm

- Hookworms cause bloody diarrhoea, which can lead to anaemia and in extreme cases, death
- Hookworms are picked up from the environment and passed through faeces of infected dogs.
- · Larvae can be swallowed or penetrate the skin.
- Hookworms can be dangerous for all dogs, especially puppies.

# Tapeworm

- There are several species of tapeworm.
- Tapeworm species can cause disease ranging from irritation around the anal region (dogs may "scoot" along the ground) to serious human health risk from hydatid disease. To reduce the risk of hydatid disease, dogs should not be fed, or allowed to feed on, offal from any species.
- Fleas carry flea tapeworm (Dipylidium caninum).

#### Fleas

• Fleas can cause extreme discomfort and a serious canine skin condition called flea allergy dermatitis.

Lufenuron in SENTINEL SPECTRUM Tasty Chews is a flea preventative. It controls flea populations by preventing the development of eggs and larvae and does not kill adult fleas.

### 1. Before fleas are seen on the dog:

For best results, start giving SENTINEL SPECTRUM Tasty Chews before flea activity is anticipated and continue throughout the year without interruption.

To ensure flea control, all dogs and cats within a household should be given a flea preventative. For dogs use SENTINEL SPECTRUM Tasty Chews. Untreated dogs and cats may develop infestations which could reduce the overall flea control within a household.

# 2. When the dog is already infested with fleas:

SENTINEL SPECTRUM Tasty Chews does not kill adult fleas. Where adult fleas are present, it will be necessary to also treat the dog with a product registered for use against adult fleas, such as CAPSTAR. Treatment with SENTINEL SPECTRUM Tasty Chews should also be started at this time, and continued all year round. Initially, treatment of the pet's environment may also be recommended for severe flea infestations. For further information consult your veterinarian.

# FLEA ALLERGY DERMATITIS (FAD)

FAD is a common condition that occurs when pets develop a hypersensitivity (allergy) to flea saliva.

In a normal dog, flea bites produce very little response, however a dog with an allergy to flea bites (FAD) will experience immediate and prolonged intense itching, redness and swelling.

The most important part of controlling FAD is preventing flea bites. Lufenuron reduces the number of fleas in the pet's environment to a negligible level. Treatment with lufenuron for several months has been shown to dramatically improve the clinical signs of FAD in dogs.

Withholding Periods:	
Trade Advice:	
Safety Directions:	
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.
First Aid Warnings:	
Additional User Safety:	
Environmental Statements:	

Disposal:	Dispose of empty containers by wrapping with paper and putting in garbage.			
Storage:	Store below 25 °C (air conditioning), away from direct sunlight. Due to its palatable nature, SENTINEL SPECTRUM Tasty Chews should be stored out of reach of dogs.			

# Dosage table for APVMA# 62390, 62391, 62392, 62393

**Recommended Dosage Schedule** 

SENTINEL SPECTRUM Tasty Chews	Body Weight	Pack Colour	Lufenuron per chew (mg)	Praziquantel per chew (mg)	Milbemycin oxime per chew (mg)
Very Small Dogs	Up to 4 kg	Orange	46.0	22.8	2.3
Small Dogs	>4 - 11 kg	Green	115.0	57.0	5.75
Medium Dogs	>11 - 22 kg	Yellow	230.0	114.0	11.5
Large Dogs	>22 - 45 kg	Blue	460.0	228.0	23.0

Very Large Dogs:

Dogs over 45 kg can be dosed with the appropriate combination of chews.