

SAFETY DATA SHEET

Drontal Allwormer for Cats 4kg Drontal Allwormer for Cats 6kg

Section 1. Identification

Product identifier	: Drontal Allwormer for Cats 4kg Drontal Allwormer for Cats 6kg
Product code	: 122000001469
Other means of identification	: 85070363; 85070398; 85070312; 85070444

Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	: Veterinary product.	
Uses advised against	: None known.	
Company Name	: Elanco New Zealand	
	106 Wiri Station Road, Manukau, Auckland 2140	
Telephone number	: +64 0800 352 626	
	0800 446 121 (Adverse Events Local Number)	
Emergency telephone number	: CHEMTREC International: 00 1 703-527-3887 (24 hours) CHEMTREC: +64 9-801 0034 (Local) CHEMTREC: 0800 425 459 (Freephone)	
Email	: elanco_sds@elancoah.com	

Section 2. Hazards identification

HSNO Approval Number	: Not available.
HSNO Group Standard	: Not available.
HSNO Classification	: RESPIRATORY SENSITISATION - Category 1 SKIN SENSITISATION - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 7.4%

This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020 Transport of Dangerous Goods on Land.

GHS label elements

Signal word	: Danger
Hazard statements	 H317 - May cause an allergic skin reaction. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	 P280 - Wear protective gloves. P284 - Wear respiratory protection. P273 - Avoid release to the environment. P261 - Avoid breathing dust. P272 - Contaminated work clothing should not be allowed out of the workplace.

Version :0.01

Section 2. Hazards identification

Response	: P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or
	doctor.
	P362 + P364 - Take off contaminated clothing and wash it before reuse.
	P302 + P352 - IF ON SKIN: Wash with plenty of water.
	P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Symbol	
-	
	\mathbf{v}

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	% (w/w)	CAS number
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E) -1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	≥60 - ≤75	22204-24-6
Starch	≥10 - ≤30	9005-25-8
Praziquantel	≤10	55268-74-1
titanium dioxide	<1	13463-67-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

2/10

NZ : ENGLISH

Section 4. First aid measures

Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Most important symptoms/e	ffects, acute and delayed
Potential acute health effect	<u>its</u>
Inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Eye contact	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Inhalation	: Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Ingestion	: No specific data.
Skin	: Adverse symptoms may include the following: irritation redness
Eyes	: No specific data.
Indication of immediate med	lical attention and special treatment needed, if necessary
Specific treatments	: No specific treatment.
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media		
Suitable	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	None known.	
Specific hazards arising from the chemical	This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides	
Hazchem code	Not available.	
Special precautions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incid there is a fire. No action shall be taken involving any personal risk or without suitable training.	ent if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained preathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	;

Section 6. Accidental release measures

Personal precautions, protect	ve equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and material for con	ainment and cleaning up
Small spill	: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated,

- labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill : Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Protective measures

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitisation problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Version :0.01

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Drontal Tablet for Cat	Supplier OEL (ELANCO).
Starch	TWA: 10 mg/m³ 480 minutes. HSWA 2015 - HSW (GRWM) 2016. Workplace
	exposure standards (WES) (New Zealand, 4/2022).
	WES-TWA: 10 mg/m ³ 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 4 mg/m ³ 8 hours. Form: respirable
	TWA: 10 mg/m ³ 8 hours. Form: total inhalable Safe Work Australia (Australia, 10/2022).
	TWA: 10 mg/m ³ 8 hours.
praziquantel	Elanco OEL (ELANCO).
	TWA: 3 mg/m ³ 8 hours.
titanium dioxide	HSWA 2015 - HSW (GRWM) 2016. Workplace
	exposure standards (WES) (New Zealand, 4/2022).
	WES-TWA: 10 mg/m ³ 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 4 mg/m ³ 8 hours. Form: respirable
	TWA: 10 mg/m ³ 8 hours. Form: total inhalable
	Safe Work Australia (Australia, 10/2022).
	TWA: 10 mg/m³ 8 hours.

Pyrantel pamoate: Control exposures to >10 to 100 ug/m³ TWA

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	:	Solid. [Tablet.]
Colour	:	Yellowish.
Odour	:	Not available.
Odour threshold	:	Not available.
рН	:	Not available.
Melting point/freezing point	:	Not available.
Boiling point, initial boiling point, and boiling range	:	Not available.
Flash point	:	Not applicable.
Evaporation rate	1	Not available.
Flammability	1	Not available.
Lower and upper explosion limit/flammability limit	:	Not applicable.
Vapour pressure	:	Not available.
Relative vapour density	1	Not applicable.
Relative density	1	Not available.
Solubility(ies)	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not applicable.
Decomposition temperature	1	Not available.
Viscosity	1	Not applicable.
Flow time (ISO 2431)	1	Not available.
Particle characteristics		
Median particle size	:	Not available.

Section 10. Stability and reactivity

Reactivity		: No specific test data	a related to reactivity available for this product or	its ingredients.
Chemical stabi	lity	: The product is stable	e.	
Possibility of har reactions	azardous	: Under normal condi	tions of storage and use, hazardous reactions w	ill not occur.
Conditions to a	void	: No specific data.		
Incompatible m	aterials	: No specific data.		
Product name :		wormer for Cats 4kg wormer for Cats 6kg		NZ : ENGLISH
Version :0.01		:30 October 2023	Date of previous issue :No previous validation	6/10

Section 10. Stability and reactivity

Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

Section 11. Toxicological information

Information on likely I	routes of exposure
Inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Eye contact	: No known significant effects or critical hazards.
Symptoms related to the second	the physical, chemical and toxicological characteristics : Adverse symptoms may include the following:
initiation	wheezing and breathing difficulties asthma
Ingestion	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Eye contact	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Praziquantel	LD50 Dermal LD50 Oral		>2000 mg/kg 2249 mg/kg	-
titanium dioxide	LC50 Inhalation Dusts and mists LD50 Oral		>6.82 mg/l >10000 mg/kg	4 hours -

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Drontal Tablet for Cat	Eyes - Not irritant	Rabbit	-	-	-
	Skin - Not irritant	Rabbit	-	-	-
Starch	Skin - Mild irritant	Human	-	72 hours 300	-
titanium dioxide	Skin - Mild irritant	Human	-	ug I 72 hours 300 ug I	-

Sensitisation

Not available.

Potential chronic health effects

General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Inhalation	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Ingestion	: No known significant effects or critical hazards.
Skin contact	 Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Eye contact	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Version :0.01

Section 11. Toxicological information

Chronic toxicity

Not available.

Carcinogenicity

Not available.

Mutagenicity Not available.

Teratogenicity

Not available.

Reproductive toxicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Drontal Tablet for Cat	8467.4	N/A	N/A	N/A	N/A
Praziquantel	500	N/A	N/A	N/A	N/A

Section 12. Ecological information

Ecotoxicity : This material is harmful to aquatic life with long lasting effects.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
Pyrantel pamoate	EC50 12.68 mg/l	Daphnia - Daphnia magna	48 hours
	LC50 >60.6 mg/l	Fish - Danio rerio	96 hours
praziquantel	Acute EC50 77 mg/l	Algae	72 hours
	Acute EC50 35 mg/l	Crustaceans	48 hours
	Acute LC50 29.22 mg/l Fresh water	Fish - Carassius auratus	96 hours
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - <i>Daphnia pulex -</i> Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours

Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Pyrantel pamoate	-	-	Not readily

Bioaccumulative potential

Not available.

Mobility in soil

Product name :

Section 12. Ecological information

Soil/water partition
coefficient (Koc)
Other adverse effects

: Not available.

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	New Zealand - Land - road/ railway	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

HSNO Approval Number	: Not available.
HSNO Group Standard	: Not available.
HSNO Classification	: RESPIRATORY SENSITISATION - Category 1 SKIN SENSITISATION - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
ACVM No.	: A008215, A007042
Inventory list	
New Zealand	: All components are listed or exempted.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 10/30/2023
Date of previous issue	: No previous validation
Version	: 0.01
Key to abbreviations	 ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group UN = United Nations
References	: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441

NZ : ENGLISH